VEHICLE DETAILS

STANDARD EQUIPMENT - TC25953 Ext Cab 157.5" WB

EXTERIOR

- Paint, solid
- Bumper, front, chrome (Includes Gray lower with Work Truck or Base Models)
- Bumper, rear, chrome step, includes pad (Not available with (ZW9) Pickup bed, delete)
- · Air dam, Gray
- Moldings, bodyside (Moldings are Black. Not available with (ZW9) Pickup bed, delete)
- Wheel flares, front and rear (See Color & Trim section for available colors. Front only when (ZW9) Pickup bed, delete is ordered)
- Grille, chrome surround
- · Headlamps, dual halogen composite, includes flash-to-pass feature and automatic lamp control
- Daytime running lamps, includes automatic exterior lamp control
- · Lamps, dual cargo area lamps
- Mirrors, outside rearview, foldaway, manual, Black, adjustable heads
- · Glass, Solar-Ray light tinted, all windows
- Windows, rear quarter swing-out (Standard with Extended Cab Models only.)
- · Wipers, intermittent, front, wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap (Not available with (ZW9) Pickup bed, delete.)

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

VEHICLE DETAILS

STANDARD EQUIPMENT - TC25953 Ext Cab 157.5" WB

INTERIOR

- · Seat trim, Custom Cloth
- Seats, front 40/20/40 split-bench, 3-passenger, driver and passenger manual reclining, center fold-down armrest with storage, adjustable outboard head restraints and storage pockets on Extended and Crew Cab Models (Requires (**D) Seat trim, Custom Cloth)
- Seats, rear bench, folding, 3-passenger (includes top tethers and lower anchors for child seat) (Not available with Regular Cab Models)
- Floor covering, color-keyed carpeting and rubberized vinyl floormats (with Extended Cab, includes rear floormats) (May be substituted with (PDP) Floor covering, Graphite-colored rubberized vinyl.)
- Steering column, Tilt-Wheel, adjustable, includes brake/transmission shift interlock
- Steering wheel, steel sleeve, includes theft-deterrent locking feature
- Theft-deterrent system, PASSlock II
- Instrumentation, analog, includes speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Driver Information Center, includes trip odometer and message center (monitors numerous different systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature, and oil change notification)
- Warning tones, headlamp on, key-in-ignition, driver and passenger seat belt reminders, turn signal on
- Cruise control, electronic with set and resume speed, includes telltale in instrument panel cluster
- Air conditioning, dual-zone, manual, individual climate settings for driver and right front passenger
- Sound system, ETR AM/FM stereo with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume and Radio Data System (RDS)
- · Sound system feature, 4-speakers
- Cupholders, front (Also includes rear cupholders on Extended and Crew Cab Models)
- Cigarette lighter, on instrument panel
- Power outlets, auxiliary, covered, 2 dash-mounted, 12-volt
- Headliner, Shale-colored cloth, with matching retainer moldings
- Mirror, inside rearview, manual day/night
- Visors, padded, Shale-colored, driver and passenger side with cloth trim, extenders, pocket on driver side and vanity mirror on passenger side

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

GMC Sierra 2500HD Ext Cab 157.5" WB TC25953

VEHICLE DETAILS

STANDARD EQUIPMENT - TC25953 Ext Cab 157.5" WB

- Assist handle, front passenger (Also includes rear outboard passenger assist handle on Extended and Crew Cab Models.)
- Lighting, dome lamp, reading, courtesy, illuminated entry feature, backlit instrument panel switches and door handle-activated illuminated entry
- Door trim, side reflectors
- Coat hook, driver side (Also includes passenger side coat hook on Extended and Crew Cab Models.)

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

VEHICLE DETAILS

STANDARD EQUIPMENT - TC25953 Ext Cab 157.5" WB

MECHANICAL

- Engine, Vortec 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360 lb.-ft. [486.6 N-m] @ 4000 rpm)
- · Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and (KNP)
 Cooling, external transmission oil cooler (Requires (LQ4) Engine, Vortec 6000 V8 SFI. When (Z82) Trailering
 equipment, heavy-duty is ordered, transmission temperature gauge is included. Standard with Extended and Crew
 Cab Models only)
- Cooling, internal transmission oil cooler, water-to-oil, integral to driver side of radiator tank (Included and only available with (MT1) Transmission, 4-speed automatic, heavy-duty and (M74) Transmission, Allison 1000 5-speed automatic.)
- Cooling, external transmission oil cooler, auxiliary, heavy-duty air-to-oil (Included and only available with (MT1) Transmission, 4-speed automatic, heavy-duty and (M74) Transmission, Allison 1000 5-speed automatic.)
- · Rear wheel drive
- · Rear axle, 4.10 ratio
- Battery, heavy-duty, 600 cold-cranking amps, includes rundown protection and retained accessory power (Not standard with (LB7) Engine, Duramax 6600 Turbo Diesel V8.)
- Alternator, 105 amps
- Pickup bed, Wideside box (May be substituted with (ZW9) Pickup bed, delete on T*25903 or T*25943 Models.)
- · Frame, ladder-type
- · Recovery hooks, 2 front, frame-mounted
- GVWR, 9200 lbs. (4173 kg) (Must specify on TC25903, TK25753 and T*25743 Models.)
- Suspension Package, Handling/Trailering, heavy-duty
- · Suspension, front, independent torsion bar, and stabilizer bar
- Suspension, rear, semi-elliptic 2-stage multi-leaf springs
- Tires, LT245/75R16E, all-season, blackwall (Includes 5 tires with (E63) Pickup bed, Wideside box. Includes 4 tires with (ZW9) Pickup bed, delete.)
- Wheels, 4 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug chrome-styled steel, includes chrome center caps and steel spare
- Tire carrier, outside spare, winch-type mounted under frame at rear
- · Steering, power

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

GMC Sierra 2500HD Ext Cab 157.5" WB TC25953

VEHICLE DETAILS

STANDARD EQUIPMENT - TC25953 Ext Cab 157.5" WB

- Brakes, 4-wheel antilock, 4-wheel disc
- · Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench, spare tire assist hook, floor-mounted in back of cab SAFETY
- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right front passenger (Regular and Extended Cab Models includes passenger side deactivation switch. Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in a rear seat. See the Owner's Manual for more safety information.)
- Daytime running lamps, includes automatic exterior lamp control

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

VEHICLE DETAILS

SELECTED MODEL - TC25953 Ext Cab 157.5" WB

<u>Code</u>	<u>Description</u>	Front Wt	Rear Wt
TC25953	2004 GMC Sierra 2500HD Ext Cab 157.5"	* 3,246.00	* 2,721.00

WB

SELECTED VEHICLE COLORS - TC25953 Ext Cab 157.5" WB

<u>Code</u> **Description**

Interior: No color has been selected. Exterior 1: No color has been selected. Exterior 2: No color has been selected.

SELECTED OPTIONS - TC25953 Ext Cab 157.5" WB

CATEGORY

<u>Code</u>	<u>Description</u>
GVWR	
C5F	GVWR, 8500 LBS. (3856 kg) (Not available with TK25943 Models)
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
LQ4	ENGINE, VORTEC 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360
	lbft. [486.6 N-m] @ 4000 rpm) (STD)
TRANSMISSIO	N
MT1	TRANSMISSION, 4 SPEED AUTOMATIC, HEAVY-DUTY,
	ELECTRONICALLY CONTROLLED WITH OVERDRIVE, TOW/HAUL
	MODE and (KNP) Cooling, external transmission oil cooler (Requires
	(LQ4) Engine, Vortec 6000 V8 SFIWhen (Z82) Trailering equipment,

heavy-duty is ordered, transmission temperature gauge is included. -

Standard with Extended and Crew Cab Models only.) (STD)

DIFFERENTIAL

NO LOCKING DIFFERENTIAL

AXLE

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

VEHICLE DETAILS

SELECTED OPTIONS - TC25953 Ext Cab 157.5" WB

CATEGORY	
<u>Code</u>	<u>Description</u>
AXLE	
GT4	REAR AXLE, 3.73 RATIO (With L18 Engine, Requires (M74) Transmission, Allison 1000 5-speed automaticNot available on T*25903 with (ZW9) Pickup bed, delete.) *CREDIT*
PREFERRED E	EQUIPMENT GROUP
1SA	BASE PREFERRED EQUIPMENT GROUP, includes standard equipment
TIRES	
QIZ	TIRES, LT245/75R16E, ALL-SEASON, BLACKWALL (Includes 5 tires with (E63) Pickup bed, Wideside boxIncludes 4 tires with (ZW9) Pickup bed, delete.) (STD)
SEAT TYPE	
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND PASSENGER MANUAL RECLINING center fold-down armrest with storage, adjustable outboard head restraints and storage pockets on Extended and Crew Cab Models (Requires (**D) Seat trim, Custom Cloth) (STD)
SEAT TRIM	
D	SEAT TRIM, CUSTOM CLOTH (STD)
PAINT	
ZY1	PAINT, SOLID (STD)
RADIO	
UB0	SOUND SYSTEM, ETR AM/FM STEREO W/CD PLAYER, includes seek- and-scan, digital clock, auto-tone control, speed-compensated volume and Radio Data System (RDS) (STD)
ADDITIONAL C	
KNP	COOLING, EXTERNAL TRANSMISSION OIL COOLER, AUXILIARY, HEAVY-DUTY AIR-TO-OIL (Included and only available with (MT1) Transmission, 4-speed automatic, heavy-duty and (M74) Transmission, Allison 1000 5-speed automatic.)
	COOLING, INTERNAL TRANSMISSION OIL COOLER, WATER-TO-OIL, INTERGAL TO DRIVER SIDE OF RADIATOR TANK (Included and only available with (MT1) Transmission, 4-speed automatic, heavy-duty and

(M74) Transmission, Allison 1000 5-speed automatic.)

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

CONTRACT PRICE: \$25,117.00

CONTRACTOR: BEYER BROS CORP

GMC Sierra 2500HD Ext Cab 157.5" WB TC25953

VEHICLE DETAILS

SELECTED OPTIONS - TC25953 Ext Cab 157.5" WB

CATEGORY

<u>Code</u>	<u>Description</u>
ADDITIONAL	OPTIONS
KL5	ALTERNATIVE FUEL CONVERSIONS, CONVERSION-READY
	ENGINE, includes internal modifications for operation with natural or
	propane gas (Requires (LQ4) Engine, Vortec 6000 V8 SFI and (MT1)
	Transmission, 4-speed automatic, heavy-duty)
KL6	BI-FUEL COMPRESSED NATURAL GAS (CNG) SYSTEM (COMPLETE
	VEHICLE AND SYSTEM READY). Includes (KL5) Alternative fuel
	conversion-ready engine. CNG tanks and fuel system

OPTIONS TOTAL

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

GMC Sierra 2500HD Ext Cab 157.5" WB TC25953

VEHICLE DETAILS

PRICING SUMMARY - TC25953 Ext Cab 157.5" WB

Base Price

Total Options:

Vehicle Subtotal

Advert/Adjustments

Destination Charge

GRAND TOTAL

WEIGHT RATINGS - TC25953 Ext Cab 157.5" WB

Front Gross Axle Weight Rating: 4,500.00

Rear Gross Axle Weight Rating: 6,084.00

Gross Vehicle Weight Rating: * 8,500.00

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

COLOR AVAILABILITY

COLOR CHART - TC25953 Ext Cab 157.5" WB

EXTERIOR	IN	NTERIOR
	Dark Pwtr (69D)	Ntrl (52D)
Sand Beige Metallic (15U)	X	X
Onyx Black (41U)	Χ	Χ
Polo Green Metallic (47U)	X	X
Summit White (50U)	X	Χ
Silver Birch Metallic (59U)	X	
Carbon Metallic (62U)	Χ	X
Fire Red (74U)	Χ	X
Marine Blue Metallic (91U)	X	Χ

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

GMC Sierra 2500HD Ext Cab 157.5" WB TC25953

WARRANTY INFORMATION

WARRANTY INFORMATION - TC25953 Ext Cab 157.5" WB

WARRANTY

Basic: 3 Years/36,000 Miles Drivetrain: Gas Engine 3 Years/36,000 Miles Diesel Engine 5 Years/100,000 Miles

Corrosion: 6 Years/100,000 Miles

Roadside Assistance: 3 Years/36,000 Miles

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

WINDOW STICKER

	SUBTOTAL		\$38,880.00
KL6	BI-FUEL COMPRESSED NATURAL GAS (CNG) SYS	TEM (COMPLETE VEHICLE	\$9,300.00
KL5	ALTERNATIVE FUEL CONVERSIONS, CONVERSIO	, and the second se	INC
	COOLING, INTERNAL TRANSMISSION OIL COOLE	R, WATER-TO-OIL, INTERG	INC
KNP	COOLING, EXTERNAL TRANSMISSION OIL COOLE	R, AUXILIARY, HEAVY-DUT	INC
UB0	SOUND SYSTEM, ETR AM/FM STEREO W/CD PLAY	YER,	\$0.00
ZY1	PAINT, SOLID		\$0.00
D	SEAT TRIM, CUSTOM CLOTH		\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSEN	GER, DRIVER AND PASSEN	\$0.00
QIZ	TIRES, LT245/75R16E, ALL-SEASON, BLACKWALL		\$0.00
1SA	BASE PREFERRED EQUIPMENT GROUP,		\$0.00
GT4	REAR AXLE, 3.73 RATIO		\$0.00
	NO LOCKING DIFFERENTIAL	,	\$0.00
MT1	TRANSMISSION, 4 SPEED AUTOMATIC, HEAVY-DI	JTY. ELECTRONICALLY CO	\$0.00
LQ4	ENGINE, VORTEC 6000 V8 SFI		\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS		\$0.00
C5F	OPTIONS GVWR, 8500 LBS. (3856 kg)		\$0.00
TC25953	2004 GMC Sierra 2500HD Ext Cab 157.5" WB		\$29,580.00
CODE	MODEL		MSRP
4-Speed HD	Automatic w/OD	Exterior 2: - No color has bee	n selected.
6.0L/364 CI	D * Bi-Fuel V8	Exterior 1: - No color has bee	n selected.
	Sierra 2500HD Ext Cab 157.5" WB	Interior: - No color has been s	

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

WINDOW STICKER

Advert/Adjustments \$0.00

Destination Charge \$815.00

TOTAL PRICE \$39,695.00

Est City: mpg Est Highway: mpg

Est Highway Cruising Range: * mi

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

PRICE BREAKDOWN

Price Breakdown - TC25953 Ext Cab 157.5" WB

Price Component	Amount	
MSRP		
Base Price	\$29,580.00	
Total Options	\$0.00	
Invoice		
Base Price	\$25,882.50	
Total Options	\$0.00	
Other		
Destination Charge	\$815.00	
Dealer Advertising	\$0.00	
GM Holdback Amount	-\$887.40	
Floor Plan	-\$443.70	
Special Adjustment Options		
VQ1 - FLEET PROCESSING OPTION	-\$315.00	
VQ2 - FLEET PROCESSING OPTION	-\$300.00	
VQ3 - FLEET PROCESSING OPTION	-\$305.00	

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - TC25953 Ext Cab 157.5" WB

ENGINE

 Engine Order Code
 LQ4

 Engine Type
 * Bi-Fuel V8

 Displacement
 6.0L/364 CID

 SAE Net Horsepower @ RPM
 300 @ 4400

 SAE Net Torque (lb ft) @ RPM
 360 @ 4000

TRANSMISSION

Transmission order code MT1
Transmission Type Description 4-Speed HD Automatic w/OD
Drive Train Rear Wheel Drive

MILEAGE

City EPA fuel economy estimate Hwy EPA fuel economy estimate

City cruising range
Hwy cruising range

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - TC25953 Ext Cab 157.5" WB

TRANSMISSION				
Gear Ratio (:1)				
First Gear Ratio (:1)	2.48			
Second Gear Ratio (:1)	1.48			
Third Gear Ratio (:1)	1.00			
Fourth Gear Rato (:1)	0.75			
Reverse Ratio (:1)	2.08			
Clutch size (in)				
Power Take-Off				
TRANSFER CASE				
Transfer case model				
Gear Ratio (:1)				
Transfer case high gear ratio				
Transfer case low gear ratio				
Transfer case power take off				
DIFFERENTIAL	Front		Rear	
Axle Ratio (:1)			* 3.73	
ELECTRICAL				
Battery	1	2	3	Tota
Battery cold cranking Amps @ 0 F	600.00			600.00
Alternator				
Alternator Amps	105.00			
COOLING SYSTEM				
Cooling system capacity	* 13.32			
Engine oil cooler	Yes			
* Indicates equipment which is in addition to or replaces bar	se model's standard equ	uipment.		

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - TC25953 Ext Cab 157.5" WB

TR	AILERING	Max Trailer Wt.	Max Tongue Load	
	Gross Combined Wt Rating (lb)			* 14,000.0
	Gross Vehicle Wt Rating (lb)			* 8,500.0
	Reserve Axle Capacity (lb)			
	Total Weight			
	As spec'd payload			* 2,533.0
	As Spec'd Curb Weight (lb)	* 3,246.00	* 2,721.00	* 5,967.0
	Total Option Weight (lb)	* 185.00	* 416.00	* 601.0
	Curb Weight (lb)	3,061.00	2,305.00	5,366.0
	Gross Axle Wt Rating (lb)	4,500.00	6,084.00	10,584.0
WE	GIGHT INFORMATION	Front	Rear	Tota

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lb)	* 5,000.00	* 500.00
Weight Distributing Hitch (lb)	* 7,733.00	* 927.96
Fifth Wheel Hitch (lb)	* 7.733.00	* 1.933.25

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - TC25953 Ext Cab 157.5" WB

SUSPENSION	Front	Rear	
Spring			
Spring Type	Torsion Bar	2-Stage Multi-Leaf	
Spring Capacity	4,500.00	6,084.00	
Axle			
Axle Type		Semi-Floating	
Axle Capacity	4,800.00	6,900.00	
Shock Absorber Diameter (mm)	35.00	35.00	
Stabilizer Bar Diameter (in)	1.42		
BRAKES			
Brake type	Pwr		
ABS System	Four-Wheel		
	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	12.8 x 1.5	13 x 1.1	
Drum			
Drum Diam x Width (in)			
TIRES	Front	Rear	Spare
Tire Order Code	QIZ	QIZ	QIZ
Tire Size	LT245/75R16	LT245/75R16	LT245/75R16
Capacity	2,335.00	3,042.00	2,335.00
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
WHEELS	Front	Rear	Spare
Wheel Size	16 x 6.5	16 x 6.5	16 x 6.5
Wheel Type	Chrome	Chrome	Steel

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - TC25953 Ext Cab 157.5" WB

STEERING

Steering type Pwr Recirculating Ball

Ratio (:1)

On Center - TBD - At Lock - TBD -

Turning Diameter

Curb-to-Curb 50.80 Wall-to-Wall - TBD -

FUEL TANK Main Auxiliary

Capacity * 20.00 Location LH

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

TECHNICAL SPECIFICATIONS

DIMENSIONS - TC25953 Ext Cab 157.5" W

EXTERIOR DIMENSIONS	
Wheelbase (in)	157.50
Length, Overall w/o rear bumper (in)	246.60
Width, Max w/o mirrors (in)	79.70
Height, Overall (in)	76.20
Overhang	
Overhang, Front	37.0
Front Bumper to Back of Cab (in)	138.60
Cab to Axle (in)	55.90
Cab to End of Frame (in)	- TBD -
Ground to Top of Load Floor (in)	- TBD -
Ground to Top of Frame (in)	- TBD -
Frame Width, Rear (in)	- TBD -
Ground Clearance	
Ground Clearance, Front	9.1
Ground Clearance, Rear	12.1
CARGO AREA DIMENSIONS	
Cargo Box Length @ Floor (in)	97.60
Width	
Cargo Box Width @ Top, Rear	61.9
Cargo Box Width @ Floor	64.8
Cargo Box Width @ Wheelhousings	50.0
Cargo Box (Area) Height (in)	19.50
Tailgate Width (in)	61.90
Cargo Volume (ft³)	70.70
Ext'd Cab Cargo Volume (ft³)	- TBD - w/o Rear
NTERIOR DIMENSIONS	
Passenger Capacity	6

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135

TECHNICAL SPECIFICATIONS

DIMENSIONS - TC25953 Ext Cab 157.5" WB

INTERIOR DIMENSIONS		
Seating Position	Front	Second
Head Room (in)	41.00	38.40
Leg Room (in)	41.30	33.70
Shoulder Room (in)	65.20	66.30
Hip Room (in)	61.40	61.50

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097

SECTION 8 (PRICE LINE 8) CONTRACT: A53135